

# RG-RAP1200(F) REYEE Wi-Fi 5 Wall-mounted Access Point



**Kode** : RG-RAP1200(F)

**Brand** : Ruijie - Reyee

**Jenis** : Wireless Indoor

**Harga** : Rp 543.000,00

RG-RAP1200(F) Ruijie Reyee Wi-Fi 5 Wall-mounted Access Point.

**\*Belum termasuk adaptor dan poe injector.**

**\*Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

**Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.**

Penawaran Harga Spesial

 **08112039555**

- Dual-radio performance wireless wall-mounted AP.
- Better experience with MU-MIMO under 802.11ac Wave2.
- Easy installation, worldwide compatible.
- One click to optimize, get better Wi-Fi experience.
- Easily set up your Wi-Fi network in 3 minutes.



### Specification

|                        |  |
|------------------------|--|
| <b>Model</b>           | RG-RAP1200(F)  |
| <b>Protocol</b>        | Concurrent 802.11ac Wave2, Wave1, 802.11a/b/g/n  |
| <b>Operating Bands</b> | 802.11b/g/n : 2.4 GHz - 2.4835 GHz<br>802.11a/n/ac : 5 GHz: 5.150 GHz - 5.350 GHz, 5.725 GHz - 5.850 GHz<br>(country specific) |
| <b>Antenna</b>         | Built-in Omnidirectional Antennas (2.4 GHz: 2dBi, 5 GHz: 2dBi)   |
| <b>Spatial Streams</b> | 2.4 GHz: 2x2 MIMO<br>5 GHz: 2x2 MIMO   |
| <b>Max Throughput</b>  | Up to 400 Mbps at 2.4 GHz<br>Up to 867 Mbps at 5 GHz<br>Access rate per AP : 1.267 Gbps  |
| <b>Service Ports</b>   | Front: 1x 10/100 Base-T port<br>Rear: 1x 10/100 Base-T port (PoE in)   |
| <b>Power Supply</b>    | Support PoE (802.3af/at)   |

|                                      |              |
|--------------------------------------|--------------|
| <b>Power Consumption</b>             | ≤ 8 W        |
| <b>Operating temperature</b>         | 0°C - 40°C   |
| <b>Storage temperature</b>           | -40°C - 70°C |
| <b>MTBF</b>                          | >250000H     |
| <b>Maximum number of clients</b>     | 110          |
| <b>Recommended number of clients</b> | 40           |

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1016/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**