

# TSW010 TELTONIKA Din Rail Switch



**Kode** : TSW010

**Brand** : Teltonika

**Jenis** : Switch Unmanaged

**Harga** : Rp 507.000,00

TSW010 offers the most affordable way to extend network connectivity to multiple Ethernet devices. Five 10/100 Mbps Ethernet ports ensure stable and reliable connectivity, sufficient for most industrial applications where high throughput is not required.

Penawaran Harga Spesial

08112039555

## Features :

- Plug and Play No additional configuration needed
- Mounting Integrated DIN rail bracket and surface mounting options
- Industrial Design Anodized aluminum housing and panels
- 5 x Ethernet ports with speeds of up to 100 Mbps



## Specification

<b>Model</b>	TSW010
<b>ETHERNET</b>	
<b>LAN</b>	5 x LAN port, 10/100 Mbps, compliance with IEEE 802.3, IEEE 802.3u standards, supports auto MDI/MDIX crossover
<b>IEEE 802.3 series standards</b>	802.3i, 802.3u, 802.3x, 802.3az

PERFORMANCE SPECIFICATIONS	
<b>Bandwidth (Non-blocking)</b>	1 Gbps
<b>MAC address table size</b>	2K entries
<b>Jumbo frame support</b>	2048 bytes
POWER	
<b>Connector</b>	2-pin industrial DC power socket
<b>Input voltage range</b>	9 - 30 VDC
<b>PoE (passive)</b>	Passive PoE over spare pairs. Possibility to power up through LAN port, not compatible with IEEE802.3af, 802.3at and 802.3bt standards, Mode B, LAN1 Port, 9 - 30 VDC
<b>Power consumption</b>	Idle: 0.3 W / Max: 0.9 W
PHYSICAL INTERFACES	
<b>Ethernet</b>	5 x RJ45 ports, 10/100 Mbps
<b>Status LEDs</b>	1 x Power LED, 10 x LAN status LEDs
<b>Power</b>	1 x 2-pin industrial DC power socket
<b>Other</b>	1 x Grounding screw
PHYSICAL SPECIFICATION	
<b>Casing material</b>	Aluminum housing
<b>Dimensions (W x H x D)</b>	113.1 x 27.4 x 80.5 mm
<b>Mounting options</b>	DIN rail or wall mounting (additional kit needed), flat surface placement
OPERATING ENVIRONMENT	
<b>Operating temperature</b>	-40 °C to 75 °C
<b>Operating humidity</b>	10% to 90% non-condensing
<b>Ingress Protection Rating</b>	IP30

Standard Package Contains :

- TSW010
- QSG (Quick Start Guide)

- Packaging box

[Download Datasheet](#)

\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

**URL :** <https://www.citraweb.com/produk/1061/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**

[www.citraweb.com](http://www.citraweb.com)