

Pro Max 48 PoE UNIFI UBIQUITI 48-Port POE with 4-Port SFP+ 10G Switch

Kode : USW-Pro-Max-48-PoE

Brand : Ubiquiti

Jenis : Switch Managed POE


Harga : Rp 23.797.000,00




USW-Pro-Max-48-PoE UniFi 48-port, Layer 3 Etherlighting switch with 24-port GbE PoE+, 8-port GbE PoE++, 8-port 2.5 GbE PoE+, 8-port 2.5 GbE PoE++ and 4-port SFP+ 10G.

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial

 **08112039555**



*Require UniFi Power Backup.

Specification

Model	USW-Pro-Max-48-PoE
Ports	1 GbE RJ45 : 32 (24 PoE+; 8 PoE++) 2.5 GbE RJ45 : 16 (8 PoE+; 8 PoE++) 10G SFP+ : 4
Total PoE Availability	720W
Max. PoE Wattage per Port by PSE	PoE : 15.4W PoE+ : 32W PoE++ : 64W
Layer Type	Layer 3
Switching capacity	224 Gbps
Total Non-Blocking Throughput	112 Gbps
Forwarding rate	167 Mpps
Supported VLANs	1000
MAC address table	32000
L3 Table Size	ARP Entries : 12000 IPv4 Routes : 12000
Packet Buffer Size	2 MB
Dimensions (W x D x H)	442.4 x 400 x 44 mm
Max. Power Consumption	100W (Excluding PoE Output) 820W (Including PoE Output)
Power Method	(1) Universal input, 100—240V AC, 50/60 Hz (1) USP RPS DC input
Power Input Method	AC input
Power Supply	AC/DC, internal, 870W
Supported Voltage Range	100—240V AC
Management	Ethernet AR
Heat Dissipation (Excluding PoE Output)	341.2 BTU/hr
Enclosure Material	SGCC steel
Supported Rack Depth	400~1200 mm (15.7-47.2")
LCM Display	1.3" touchscreen
Ambient Operating Temperature	-5 to 40 C (23 to 104 F)
Ambient Operating Humidity	10 to 90% noncondensing
Certifications	CE, FCC, IC

[Download Datasheet](#)

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : <https://www.citraweb.com/produk/1344/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com