

# FD1616S-B2 C-DATA 16PON 2GE 2SFP 4SFP+ GPON OLT

**Kode** : FD1616S-B2

**Brand** : C-Data

**Jenis** : FTTH OLT

**Harga** : Rp 23.500.000,00

Rp 27.000.000,00



**GPON OLT FD1616S-B2** sepenuhnya mendukung standar ITU G.984.x dan FSAN. Perangkat **rack-mounted 1U** dengan dilengkapi **1 port USB, 2 port uplink Gigabit Ethernet, 2 port uplink SFP, 4 port uplink SFP+ 10G**, serta **16 port GPON**. Setiap port GPON mendukung rasio splitting hingga **1:128**, sehingga sistem GPON ini mampu melayani hingga **2048 terminal koneksi**.

Penawaran Harga Spesial

 **08112039555**



## Specification

<b>Model</b>	FD1616S-B2
<b>Uplink Port</b>	2 10/100/1000M auto-negotiation Ethernet ports
	2 SFP interfaces
	10-Gigabit : 4 SFP+ interfaces
<b>PON Port</b>	Quantity : 16
	Physical interface : SFP slot
	Interface type : ITU-TG.984.2 Class B+/Class C+
	Max splitting ratio : GPON: 1:128
<b>Management Port</b>	1 100/1000BASE-Tx out-band Ethernet port 1 CONSOLE local management port
<b>USB Port</b>	1 USB interface (It's used to backup configuration, upgrade program and record log information)
<b>Transmission distance</b>	20KM
<b>Port rate</b>	GPON: Downstream: 2.5Gbps Upstream: 1.25Gbps
<b>Wavelength</b>	Forwarding: 1490nm Receiving: 1310nm
<b>Interface type</b>	SC/UPC
<b>Fiber type</b>	9/125µm SMF (Single Mode Fiber)
<b>Light transmission power</b>	Class B+ : +1.5~ +5dBm Class C+ : +3 ~ +7dBm
<b>Receiving sensitivity</b>	Class B+ : -28dBm Class C+ : -30dBm
<b>Saturation power</b>	Class B+ -8dBm Class C+ -12dBm
<b>Network management method</b>	Support CLI/WEB/Telnet/SSH/MQTT
<b>Backplane Bandwidth</b>	148G
<b>Power supply</b>	AC : 100V ~ 240V, 47~63Hz DC : -40V ~ -72V
<b>Working temperature</b>	-15 ~ 50 C
<b>Storage temperature</b>	-40 ~ 85 C
<b>Ambient humidity</b>	5 ~ 90% (Non-condensing)

[Download Datasheet](#)

*\* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

**URL :** <https://www.citraweb.com/produk/1399/>

**Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email [sales@citraweb.com](mailto:sales@citraweb.com)**

[www.citraweb.com](http://www.citraweb.com)