

eKitEngine AP371 HUAWEI BE3600 Dual-Band 2.5GE Wi-Fi 7 Settled Access Point

**Kode** : AP371**Brand** : Huawei**Jenis** : Wireless Indoor**Harga** : Rp 2.100.000,00

HUAWEI AP371 BE3600 Dual-Band 2.5GE Settled Access Point adalah Access Point indoor generasi baru berteknologi Wi-Fi 7 (802.11be) yang beroperasi simultan di frekuensi 2.4 GHz (2x2) dan 5 GHz (2x2) dengan kecepatan total hingga 3,57 Gbps. Dilengkapi antenna pintar terintegrasi untuk menjaga kestabilan sinyal secara optimal, perangkat berdesain ringkas ini menawarkan efisiensi investasi serta fleksibilitas kemudahan pemasangan bagi pengguna.

***Belum termasuk adaptor dan poe injector**

***Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial

 **08112039555**

- Settled AP
- Wi-Fi 7
- 3.57 Gbps device rate
- Dual-radio
- 150 access users recommended
- Max. 256 access users
- 23 dBm transmit power
- Smart antenna
- 18 m optimal coverage range



Spesifikasi

Model	AP371
Wi-Fi standard	2.4 GHz: 802.11b/g/n/ax/be 5 GHz: 802.11a/n/ac/ac Wave 2/ax/be
Optimal Signal Distance (m)	18
Max Number of Access Users	256
Recommended Number of Access Users	150
Device Rate	3.57 Gbps
Maximum number of physical ports on the entire device	2.5GE (RJ45) x 1, 100M/1000M/2500 Mbit/s auto-sensing
Radio number	2
Maximum channel bandwidth [MHz]	Radio 0 (2.4 GHz): 40 MHz Radio 1 (5 GHz): 160 MHz
Maximum transmit power	2.4 GHz: 20 dBm/chain 23 dBm (combined power) 5 GHz: 20 dBm/chain 23 dBm (combined power)
MIMO spatial streams	Radio 0 (2.4 GHz): 2x2 Radio 1 (5 GHz): 2x2
Maximum power consumption [W]	13.3 (excluding USB)
Input voltage range [V]	DC: 12 V $\pm$ 10% PoE: 802.3at/af
Dimensions without packaging (H x W x D) [mm(in.)]	Diameter x depth: 180 mm x 35 mm (7.09 in. x 1.38 in.)

Long-term operating temperature [°C(°F)]	-10°C to +50°C (14°F to 122°F) (From 1800 m to 5000 m [5905.51 ft. to 16404.20 ft.], the maximum temperature of the device decreases by 1°C [1.8°F] for every 300 m [984.25 ft.] increase in altitude.)
Long-term operating relative humidity [RH]	5% RH to 95% RH, non-condensing
Radio interface	Built-in smart antennas
Antenna gain	2.4 GHz: 4 dBi/chain (peak gain) 1 dBi (combined gain) 5 GHz: 5 dBi/chain (peak gain) 3 dBi (combined gain)
Operating frequency band	2.4GHz,5GHz

[Download Datasheet](#)

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/1541/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com