CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

eKitEngine S210I-8P4SX HUAWEI 8-Port Gigabit PoE+ 2-Port SFP 2-Port SFP+ 10G Managed Switch

Kode : S210I-8P4SX
Brand : Huawei
Jenis : Switch Managed POE
Harga : Rp 3.240.000,00

HUAWEI eKitEngine S210I-8P4SX merupakan perangkat switch layer 2+ yang dilengkapi dengan 8 port 10/100/1000BASE-T support PoE+, 2 port SFP, 2 port SFP+ 10G dan dapat digunakan pada rackmount dan DIN rail. Packet forwarding rate 44.6 Mpps dan switching capacity 60 Gbit/s.

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial
08112039555

www.citraweb.com



Spesifikasi

Model	S210I-8P4SX
Switching capacity	60 Gbit/s
Packet forwarding rate	44.6 Mpps
GE RJ45	8 x 10/100/1000BASE-T (PoE+)
GE SFP	2 (1G)

10G SFP+	2 (10G/1G)
Maximum PoE power	240 W If the 240 W power module (PAC240S56-CN) recommended by Huawei is used, a maximum of 220 W PoE power is available. To prevent power failures caused by overload, you need to set the maximum PoE power to a value less than or equal to 220 W through the web system.
Maximum power consumption	- Without PoE: 16.24 W - Full PoE load: 257.6 W (PoE: 240 W)
Chassis dimensions (H x W x D)	150.0 mm x 44.0 mm x 133.0 mm
Long-term operating temperature	0–1800 m (0–5906 ft.) altitude, industrial optical modules: - Sealed cabinet: –40°C to +60°C (–40°F to +140°F) - Vented cabinet (≥ 80 LFM): –40°C to +70°C (–40°F to +158°F) - Blower-equipped cabinet (≥ 200 LFM): –40°C to +75°C (–40°F to +167°F)
Long-term operating relative humidity	5% RH to 95% RH, non-condensing
Power supply mode	DC external
Input voltage range	DC input: 54 V DC to 57 V DC (PoE/PoE+) 48 V DC (PoE)
Power supply surge protection	DC power: ±2 kV in common mode and ±1 kV in differential mode
Heat dissipation mode	Natural heat dissipation
Redundant power supply	1+1

Download Datasheet

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/1638/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com