

eKitEngine S210I-8T4SX HUAWEI 8-Port Gigabit 2-Port SFP 2-Port SFP+ 10G Managed Switch

**Kode** : S210I-8T4SX**Brand** : Huawei**Jenis** : Switch Managed**Harga** : Rp 2.629.000,00


HUAWEI eKitEngine S210I-8T4SX merupakan perangkat switch layer 2+ yang dilengkapi dengan 8 port 10/100/1000BASE-T, 2 port SFP, 2 port SFP+ 10G. Dapat digunakan menggunakan DIN rail. Packet forwarding rate 44.6 Mpps dan switching capacity 60 Gbit/s.

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial **08112039555**


Flexible Networking

Rich ports for flexible expansion



High Reliability

Dual DC power supply input, 1+1 hot backup, providing doubled reliability
12V~48V rated input voltage, 9.6V~60V input voltage range




Easy to Install and Maintain

DIN rail-mounted, easy to install & uninstall, flexible and convenient



High Protection



Spesifikasi

Model	S210I-8T4SX
Switching capacity	60 Gbit/s
Packet forwarding rate	44.6 Mpps
GE RJ45	8 x 10/100/1000BASE-T
GE SFP	2 (1G)

10G SFP+	2 (10G/1G)
Maximum power consumption	16.2 W @ 60 V 13.2 W @ 12 V
Chassis dimensions (H x W x D)	150.0 mm x 44.0 mm x 133.0 mm
Long-term operating temperature	0–1800 m (0–5906 ft.) altitude, industrial optical modules: - Sealed cabinet: –40°C to +65°C (–40°F to +149°F) - Vented cabinet (≥ 40 LFM): –40°C to +70°C (–40°F to +158°F) - Blower-equipped cabinet (≥ 200 LFM): –40°C to +75°C (–40°F to +167°F)
Long-term operating relative humidity	5% RH to 95% RH, non-condensing
Power supply mode	DC external
Input voltage range	DC input: 9.6 V DC to 60 V DC
Power supply surge protection	DC power: ±2 kV in common mode and ±1 kV in differential mode
Heat dissipation mode	Natural heat dissipation
Redundant power supply	1+1

[Download Datasheet](#)

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/1639/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com