TP-LINK TL-SG1016DE OMADA 16-Port Gigabit Easy Smart Switch

Kode : TL-SG1016DE
Brand : TP-Link Omada
Jenis : Switch Managed
Harga : Rp 1.134.000,00

TP-LINK TL-SG1016DE OMADA merupakan switch layer 2 dengan casing Rackmount dilengkapi 16 port 10/10/1000 Mbps RJ45 AUTO Negotiation/AUTO MDI/MDIX dengan desain fanless.

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.

Penawaran Harga Spesial
08112039555

- **16 port RJ45 10/100/1000Mbps**
- **Menyediakan fitur pemantauan jaringan, prioritas lalu lintas, pencegahan loop, dan VLAN**
- **Teknologi ramah lingkungan mengurangi konsumsi energi**
- **Pengaturan jaringan yang sederhana di atas konektivitas plug-and-play**
- **Antarmuka pengguna berbasis web dan utilitas manajemen menyederhanakan konfigurasi**

BACK VIEW

Spesifikasi

Model	TL-SG1016DE

www.citraweb.com

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

HARDWARE FEATURES	
Interface	16x 10/100/1000Mbps RJ45 Ports AUTO Negotiation/AUTO MDI/MDIX
Fan	Fanless
Physical Security Lock	No
Power Supply	100-240VAC, 50/60Hz
Dimensions (W x D x H)	11.6 × 5.5 × 1.7 in. (294 × 140 × 44 mm)
Mounting	Rackmountable
Max. Power Consumption	10.54W (220V/50Hz)
Max. Heat Dissipation	35.94 BTU/h
Packet Buffer Memory	4.1Mbit
Switching Capacity	32Gbps
Packet Forwarding Rate	23.8Mpps
MAC Address Table	8K
Jumbo Frame	10KB
SOFTWARE FEATURES	
Quality of Service	Support Port-based/802.1p/DSCP priority Support 4 priority queues Rate Limit Storm Control
L2 Features	IGMP Snooping V1/V2/V3 Static Link Aggregation Port Mirroring Cable Diagnostics Loop Prevention
VLAN	Supports up to 32 VLANs simultaneously (out of 4K VLAN IDs) MTU/Port/Tag VLAN
Transmission Method	Store-And-Forward
OTHERS	
Certification	CE, FCC

www.citraweb.com

Package Content	TL-SG1016DE Power Cord Installation Guide Rackmount Kit Rubber Feet
Environment	• Operating Temperature: 0~40C (32~104F) • Storage Temperature: -40–70C (-40–158F) • Operating Humidity: 10–90% RH non-condensing • Storage Humidity: 5–90% RH non-condensing

Download Datasheet

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/1666/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com