CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

RG-PON3000GX RUIJIE REYEE AX3000 Dual-Band Wireless GPON



Kode : RG-PON3000GX
Brand : Ruijie - Reyee
Jenis : FTTH ONT/ONU/MDU
Harga : Rp 576.000,00

Ruijie Reyee RG-PON3000GX AX3000 Dual-Band Wireless GPON merupakan perangkat ONU dari Ruijie yang dilengkapi dengan Wi-Fi 6 Dual Band, 3 port Gigabit LAN, 1 port Gigabit LAN/WAN dan 1 port Optical. Support **TR-069, GPON** maupun **EPON** dan support untuk fitur Mesh dengan perangkat Ruijie RG-EW series. Perangkat ini juga kompatibel dengan berbagai OLT seperti Huawei, ZTE, TP-LINK, VSOL, C-DATA, BDCOM, dll.

Produk ini merupakan produk Fix Price. Pembelian produk tidak dapat menggunakan diskon apapun.
***Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

Penawaran Harga Spesial
08112039555

- **Stronger Signal with DCMD Antennas**
- **Reyee Mesh with RG-EW Home Router**
- **One-Click Channel Optimization**
- **Cloud Management via Ruijie Cloud ISP**
- **Compatible with Mainstream OLTs**

www.citraweb.com





Specification

Model	RG-PON3000GX
Port Interface	1x 10/100/1000BASE-T LAN/WAN 3x 10/100/1000BASE-T LAN
Total number of optical ports	1
Wi-Fi standard	2.4 GHz : Wi-Fi 4 (IEEE 802.11b/g/n); Wi-Fi 6 (IEEE 802.11ax) 5 GHz : Wi-Fi 4 (IEEE 802.11a/n); Wi-Fi 5 (IEEE 802.11ac); Wi-Fi 6 (IEEE 802.11ax)
Antenna gain (2.4 GHz)	6.44 dBi (max)
Antenna gain (5 GHz)	7.47 dBi (max)
Power supply	DC power adapter
Power input	**DC adapter:** Rated input voltage: 100 V AC to 240 V AC, 50/60 Hz Rated input current: 0.6 A **Output:** Rated output voltage: 12 V DC Maximum output current: 1.5 A
PON Port	TR-069 GPON EPON
Recommended number of concurrent clients	128
Dimensions (W x D x H)	200 mm x 130 mm x 30 mm (7.87 in. x 5.12 in. x 1.18 in.) (excluding the antenna height)

www.citraweb.com

Operating temperature	-10°C to +40°C (14°F to 104°F)
Storage temperature	-40°C to +70°C (-40°F to +158°F)
Operating humidity	5% RH to 95% RH (non-condensing)
Storage humidity	5% RH to 95% RH (non-condensing)

Download Datasheet

** Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/1726/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com