CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

RB260GSP MIKROTIK Switch Gigabit 5 Port POE

Kode : RB260GSP

Brand : Mikrotik

Jenis : Switch Managed POE

Harga : Rp 750.000,00

Rp 883.000,00

Routerboard RB260GSP merupakan switch gigabit 5 port **+ 1 SFP port** dengan kemasan plastik, dengan prosesor Taifatech TF470 NAT accelerator (RISC, 50MHz), Atheros Switch Chip. Menggunakan Switch Operating System (SwOS) dari MikroTik. Sudah termasuk adaptor 12V.**PoE Out di Port 2-5**

Penawaran **Harga Spesial**
08112039555

Mampu melakukan fungsi-fungsi standart manageable switch, plus dapat mengatur port-to-port forwarding, menerapkan MAC filter, mengkonfigurasi VLAN, mirror traffic, bandwidth limitation, dan bahkan mengubah beberapa MAC dan IP header. Dikonfigurasi dilakukan menggunakan web. **PoE Out di Port 2-5**

Spesifikasi RB260GSP	
Product Code	RB260GSP
Architecture	RISC
CPU	Taifatech TF470 50MHz
Current Monitor	No
Main Storage/NAND	32MB
RAM	96K
SFP Ports	1

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

LAN Ports	5
Gigabit	Yes
Switch Chip	1
MiniPCI	0
Integrated Wireless	No
MiniPCIe	0
SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	10-28V
802.3af Support	No
POE Input	10-28V
POE Output	Yes, Port 2-5
Serial Port	No
Voltage Monitor	No
Temperature Sensor	No
Dimentions	113x89x28mm
Operating System	SwOS
Temperature Range	-40C .. +55C
RouterOS License	-

Screen Capture Web Remote

MikroTik SwOS

Logout

Link | Forwarding | Statistics | VLAN | VLANs | Static Hosts | Hosts | SNMP | ACL | System

	Port1	Port2	Port3	Port4	Port5
Link					
Enabled	☑	☑	☑	☑	☑
Link Status	link on	no link	no link	no link	no link
Auto Negotiation	☑	☑	☑	☑	☑
Speed	100				
Full Duplex	yes	no	no	no	no
Crossover	no	no	no	no	no
Flow Control	☑	☑	☑	☑	☑

Discard Changes | Apply All

MikroTik SwOS

Logout

Link | Forwarding | Statistics | **VLAN** | VLANs | Static Hosts | Hosts | SNMP | ACL | System

	Port1	Port2	Port3	Port4	Port5
Ingress					
VLAN Mode	disabled	disabled	disabled	disabled	disabled
Default VLAN ID	1	1	1	1	1
Force VLAN ID	☐	☐	☐	☐	☐
Egress					
VLAN Header	leave as is	leave as is	leave as is	leave as is	leave as is

Discard Changes | Apply All

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

MikroTik SwOS

| Link | **Forwarding** | Statistics | VLAN | VLANs | Static Hosts | Hosts | SNMP | ACL | System | Logout |

	Port1	Port2	Port3	Port4	Port5
Forwarding					
From Port 1	☐	☑	☑	☑	☑
From Port 2	☑	☐	☑	☑	☑
From Port 3	☑	☑	☐	☑	☑
From Port 4	☑	☑	☑	☐	☑
From Port 5	☑	☑	☑	☑	☐
Port Lock					
Port Lock	☐	☐	☐	☐	☐
Lock On First	☐	☐	☐	☐	☐
Port Mirroring					
Mirror Ingress	☐	☐	☐	☐	☐
Mirror Outgress	☐	☐	☐	☐	☐
Mirror To	⦿	○	○	○	○
Bandwidth Limit					
Ingres Rate					
Outgres Rate					
Broadcast Storm Control					
Storm Rate	unlimited	unlimited	unlimited	unlimited	unlimited
Include Unicast	☐	☐	☑	☐	☐

Discard Changes | Apply All

* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : https://www.citraweb.com/produk/394/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com