

Embedded RB411U (B+G) 15dbi - rev2



Kode : EM411U-24-r2
Brand : Discontinued
Jenis : Discontinued
Harga : Rp 2.525.000,00

RouterBoard 411U (Lisensi Level 4CF-AP) dengan Wireless MiniPCI yang dipadukan dengan embedded antenna 2,4 GHz 15dbi, menghasilkan unit wireless yang ringkas. Sudah termasuk adaptor 24V dan PoE.

Detail Barang:


- Routerboard 411U dengan outdoor box dan embedded antenna 2.4GHz
- 1 port ethernet (1 untuk PoE)
- 1 slot minipci
- 1 buah Atheros MiniPCI Wireless 802.11a+b+g 54Mbps 2.4/5GHz 350mW
- 1 Insulator Ethernet
- Power Adaptor 24V
- Power over Ethernet Splitter
- Pole mounting bracket
- Lisensi Mikrotik RouterOS AP - Level 4 /CF

| Spesifikasi RB411U | |
|---------------------|---------------|
| Product Code | RB411U |
| Architecture | MIPS-BE |
| CPU | AR7130 300MHz |
| Current Monitor | No |
| Main Storage/NAND | 64MB |
| RAM | 32MB |
| SFP Ports | 0 |
| LAN Ports | 1 |
| Gigabit | No |
| Switch Chip | No |
| MiniPCI | 1 |
| Integrated Wireless | No |

| | |
|--------------------|---------------|
| MiniPCle | 1 |
| SIM Card Slots | 1 |
| USB | 1 |
| Power on USB | Yes |
| Memory Cards | No |
| Power Jack | 10-28V |
| 802.3af Support | No |
| POE Input | 10-28V |
| POE Output | No |
| Serial Port | DB9/RS232 |
| Voltage Monitor | No |
| Temperature Sensor | No |
| Dimentions | 150mm x 105mm |
| Operating System | RouterOS |
| Temperature Range | -30C .. +60C |
| RouterOS License | Level4 |

Embedded Antenna & Enclosure Specifications:

- **Frequency:** 2400-2484 MHz
- **Antenna Gain:** 15 dbi
- **VSWR:** 1.5:1
- **Impedance:** 50 Ohm
- **Operating Temperature:** -45 - 80 deg C
- **Beam Width (H):** 41 Deg
- **Beam Width (V):** 41 Deg
- **Dimmentions (outer):** 280mm (L) x 265mm (w) x 95mm (d)
- **Weight:** 2.85 kg



* Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat

URL : <https://www.citraweb.com/produk/507/>

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com

www.citraweb.com