CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

Embedded Wireless RBLHG-5nD 3Pack



Kode : RBLHG-5nD-3Pack
Brand : Mikrotik
Jenis : Wireless Outdoor
Harga : Rp 3.300.000,00

Adalah paket gabungan 3 unit LHG dimana di dalam satu box pembelian terdapat 3 unit RBLHG-5nD.
Menggunakan Standart Wireless 802.11a/n

***Spesifikasi perangkat dijual bisa berbeda dengan yang ditampilkan karena menyesuaikan dengan regulasi di Indonesia.**

Penawaran Harga Spesial
08112039555

www.citraweb.com

Detail Barang:
***Paket pembelian ini berisi 3 set RBLHG-5nD dalam satu Box**


1 Set RBLHG-5nD terdiri dari :

- Routerboard RBLHG-5nD dengan outdoor Grid Antenna 5Ghz 24.5dbi
- 1 port ethernet (1 untuk PoE)
- Power Adaptor 24 V
- Power over Ethernet Spliter
- 2 pcs metal ring
- Screw Kit

The Light Head Grid (LHG) is a compact and light 5GHz 802.11 a/n wireless device with an integrated dual polarization 24.5 dBi grid antenna at a revolutionary price. It is perfect for point to point links or for use as a CPE at longer distances and supports Nv2 TDMA protocol. The grid design ensures protection against wind, and the fact that the antenna element is built into the wireless unit means no loss on cables.



The grid design ensures protection against wind, and the fact that the antenna element is built into the wireless unit means no loss on cables.



www.citraweb.com

CITRAWEB SOLUSI TEKNOLOGI
www.citraweb.com
info@citraweb.com
sales@citraweb.com

Antenna Specification :

Operating frequency : 5150 - 5875 MHz
Antenna gain : 24.5 +/- 0.5 dBi
Antenna beam width : 7°
Cross polar : 15 dBi
Port to port isolation : 20 dB
Front to back ratio : 25 dB
Return loss : 10 dB
VSWR : 1.925:1

Spesifikasi RBLHG-5nD	
Product Code	RBLHG-5nD
Architecture	MIPS-BE
CPU	AR9344 600MHz
Current Monitor	No
Main Storage/NAND	16MB
RAM	64MB
SFP Ports	0
LAN Ports	1
Gigabit	No
Switch Chip	No
MiniPCI	0
Integrated Wireless	1
Wireless Standarts	802.11 a/n
Wireless Tx Power	25dbm
Integrated Antenna	Yes
Antenna Gain	24dbi
MiniPCIe	0
SIM Card Slots	No
USB	No
Memory Cards	No
Power Jack	No

www.citraweb.com

802.3af Support	No
POE Input	11-30V
POE Output	No
Serial Port	No
Voltage Monitor	No
Temperature Sensor	No
Dimentions	450 x 450 x 145 mm
Operating System	RouterOS
Temperature Range	-40C .. +70C
RouterOS License	Level3

www.citraweb.com

* *Harga, spesifikasi, dan ketersediaan bisa berubah dan tidak mengikat*

URL : https://www.citraweb.com/produk/627/

Informasi lebih lanjut, pemesanan dan pembelian, hubungi: 0274-554444 atau email sales@citraweb.com